Xpand Portal Connector Overview

Once you deploy the Xpand Portal Connector app for your Microsoft Dynamics 365 Business Central solution, you will be able to configure integration of your solution with Xpand Portal.

The app consists of the following elements:

Portal Connection Setup

| ₩ [#] Test Connection | | | | | |
|--|------------------------------|-----------------|----------|--------|--|
| Integration | | | | | |
| Enabled · · · · · · · · · · · · · · · · · · · | | Client ID | | DEMOID | |
| Company Integration Code · · · · · BC24 | | Client Secret | | | |
| Web Service URL · · · · · · · · https://[your_ | domain]/sync/syncservice.svc | Log Preservatio | n Period | 1W | |
| | | | | | |

This is a general setup where you toggle integration between Business Central and Xpand Portal on and off as well as configure connection settings:

- The Business Central company that will be used as a data source on the portal
- Web service URL, client ID, and client secret that are required to authorize communication with Xpand Portal
- How long the integration log entries should be stored before they are automatically deleted (using a job queue entry)
- A server folder where the attached documents imported from Xpand Portal are stored

Additionally, in this setup, you can enable notifications about issues related to job queue entries that are used for automatic import and export of data during synchronization. If enabled, you specify email(s), to which notifications will be sent. Notifications include such information as the job queue entry(ies) that stopped running due to an error (have the status **Error**), the reason why they stopped running, and error text.



Portal Entities

| Р 🖪 + Ne | ew Manage <u>Home</u> Rele | ase Export Imp | ort Entity | | | | | ¢ 7 |
|-------------|----------------------------|-----------------|------------|----------|-----------------------------|-----------------------------|----------------------------------|----------------------|
| 🕇 Move Up 🔰 | Move Down | | | | | | | |
| Code | Name | Description | Direction | Status | Last Exported Date- Time | Last Imported Date- Time | Last Portal Updated Date-Time | Processing Order↑ |
| LOCATIONS | Locations | | Export | Open | 4/22/2024 1:58 PM | 4/25/2024 2:53 PM | 4/22/2024 12:14 PM | 1 |
| ITEM-UOM | Item Units of Measure | | Export | Released | 4/25/2024 2:33 PM | 4/25/2024 2:33 PM | 4/23/2024 5:23 PM | 2 |
| SO-HEADER | Sales Order Header | | Both | Released | 4/25/2024 2:33 PM | 4/25/2024 2:33 PM | 4/22/2024 12:14 PM | 3 |
| SO-LINES | Sales Order Lines | | Both | Released | 4/25/2024 2:33 PM | 4/25/2024 2:33 PM | 4/23/2024 5:23 PM | 4 |
| SI-HEADER | Sales Invoice Header | | Export | Released | 4/25/2024 2:33 PM | 4/25/2024 2:33 PM | 4/23/2024 5:23 PM | 5 |
| SI-LINES | Sales Invoice Lines | | Export | Released | 4/25/2024 2:33 PM | 4/25/2024 2:33 PM | 4/23/2024 5:23 PM | 6 |
| CUSTOMERS | Customers | | Export | Released | 4/25/2024 2:33 PM | 4/25/2024 2:33 PM | 4/23/2024 5:23 PM | 7 |
| CONTACTS | Contacts | | Export | Released | 4/25/2024 2:33 PM | 4/25/2024 2:33 PM | 4/23/2024 5:23 PM | 8 |
| COMPANY IN | Company Information | | Export | Released | 4/25/2024 2:33 PM | 4/25/2024 2:33 PM | 4/23/2024 5:23 PM | 9 |
| SS-HEADER | Sales Shipment Header | | Export | Released | 4/25/2024 2:33 PM | 4/25/2024 2:33 PM | 4/23/2024 5:23 PM | 10 |
| SS-LINES | Sales Shipment Lines | | Export | Released | 4/25/2024 2:33 PM | 4/25/2024 2:33 PM | 4/23/2024 5:23 PM | 11 |
| ITEMS | Items | | Both | Released | 4/25/2024 2:33 PM | 4/25/2024 2:33 PM | 4/22/2024 11:58 AM | 12 |
| SALESPRICE1 | Sales Price | Sales Prices fo | Export | Released | 4/25/2024 2:33 PM | 4/25/2024 2:33 PM | 4/23/2024 5:23 PM | 13 |
| SALESPRICE2 | Sales Price | Sales prices fo | Export | Released | 4/25/2024 2:33 PM | 4/25/2024 2:33 PM | 4/23/2024 5:23 PM | 14 |

Portal entities define what data will be sent or/and received to/from/to Xpand Portal during data synchronization.

On the entity card, you set up the tables and fields the entity will consist of. A portal entity can consist of one or many Business Central tables. It is up to you to choose which fields in those tables will be synchronized.

| Portal 8 | Entity Car | d Work Da | ite: 1/22 | /2026 | | (o) | 🖻 + 💼 | | | | \checkmark | Saved | ದೆ ಸ್ |
|---------------|------------|-------------|------------|---|-----------------|---|------------------------------|------------|--------------------|-------------------------|--------------------------------|---------------------------|------------|
| ITEI | MS | | | | | <u> </u> | | | | | | | |
| Relea | se Expo | ort Import | t Entit | y. | | | | | | | | | 0 |
| 🕃 R | elease | 🗳 Reoper | n | | | | | | | | | | Ŕ |
| Gene | ral | | | | | | | | | | | | Â |
| Code | | | | ITEN | ٨S | | Last Exported Date-Time | | 4/25/2024 6:05 PM | | | | - 1 |
| Name | | | | Iten | ıs | | Last Imported Date-Time | | 4/25/2024 6:05 PM | | | | - 1 |
| Descrip | tion · · · | | | | | | Last Portal Updated Date-Tir | ne | 4/22/2024 12:58 PM | | | | - 1 |
| Directio | | | | Bot | | | | | | | | | - 1 |
| | | | | | | | | | | | | | - 1 |
| Status | | | | Оре | in | | - | | | | | | - 1 |
| No. of | Hours bet | ween Runs | | | | | 0 | | | | | | |
| | | | | | | | | | | | | | - 1 |
| Lines | Man | age Line | | | | | | | | | | Ŕ | E |
| 11 N | ew 间 | Delete | 📢 Dec | crease Indent | Increase Indent | 🕇 Move Up 🛛 🖌 Move Down | | | | | | | Ś |
| | | | | | | | | | | | | Primary | - 1 |
| | ☆ Source | е Туре | | Source Subtype | Source ID | Source Name | Node Name | Node Value | | Import New Values | Validate Field on Import | Key Contains Autoin | - 1 |
| \rightarrow | ∨ Table | 2 | 1 | | 27 | Item | Item | | | | | | ^ |
| | Field | | | | 1 | No. | No | | | | | | -1.1 |
| | Field | | | | 3 | Description | Description | | | | | | -1.1 |
| | Field | | | | 8 | Base Unit of Measure | BaseUnitofMeasure | | | | | | -1.8 |
| | Field | | | | 18 | Unit Price | UnitPrice | | | | | | - 1 |
| | Field | | | | 31 | Vendor No. | VendorNo | | | 0 | | | - . |
| | 1.20 | | | | | | | | | | | | |
| Impo | rt | | | | | | | | | | | | - 1 |
| <u> </u> | | | | | | | | | | | | | _ |
| Skip Ta | ble Trigge | ers on Impo | rt · · · · | | | ••••••••••••••••••••••••••••••••••••••• | | | | | | | - 1 |
| | | | | | | | | | | | | | - 1 |
| Ехро | rt | | | | | | | | | | | | |
| | | | | | | | | | | | | | |
| Skip De | eletion Sy | nch. | | ••••••••••••••••••••••••••••••••••••••• | | | Clear Old Unmatched Data | | | | | | |
| | | | | | | | | | | | | | |



Additionally, there are advanced settings that can be configured for a portal entity enabling you to do the following:

- Specify whether new values for a field should be imported
- Enable field validation for a certain field on data import
- Specify whether the primary key of the selected table contains an autoincremented field.
- Choose to skip table triggers (Insert, Modify, and Delete) on data import if necessary
- Set up filters to only import data that meets the specified criteria
- Set up primary key default values to define how records will be created in Business Central in case imported data doesn't have primary keys specified

Once you release a portal entity, it is ready for data synchronization.

Data synchronization

There are two ways how synchronization can be performed:

Manually, directly from a portal entity card. You use the Export Entity to Portal and Import
Entity from Portal (or Import Entity from XML) actions to export or import entity data
correspondingly. Additionally, you can only export the structure of an entity using the Export
Entity Structure action, which may be useful when you want to send the fields of the entity to
the portal, but don't want to synchronize its data.

| Portal Entity Card Work Date: 1/22/2026 | | | ~ | Saved | |
|---|-------------------------------|-----------------------------------|--------------------------------|--------------------------------------|-----|
| ITEMS | - | | | | |
| Release Export Import Entity | | | | | |
| Steport Entity to Portal | | | | | |
| General | | | | | |
| Code · · · · · · · · · · · · · · · · · · · | Last Exported Date-Time | 4/25/2024 6:35 PM | | | |
| Name ····· Items | Last Imported Date-Time | 4/25/2024 6:35 PM | | | |
| Description | Last Portal Updated Date-Time | 4/22/2024 12:58 PM | | | |
| Direction Both | | | | | |
| Status ····· Released | | | | | |
| No. of Hours between Runs | 0 | | | | |
| | | | | | |
| Lines Manage Line | | | | Ŕ | |
| The Decision of the Decisio | ove Down | | | | ×2 |
| | Node Name Node 1 | Import New Values Values | Validate Field on Import | Primary Key Contains Autoin | |
| → ∨ <u>Table</u> : 27 Item | Item _ | | | | - |
| Field 1 No. | No | | | | |
| Field 3 Description | Description _ | | | | |
| Field 8 Base Unit of Mea | | | | | - 1 |
| Field 18 Unit Price | UnitPrice _ | | | | |
| Field 31 Vendor No. | VendorNo _ | | | | |

• Automatically by configuring a job queue entry.

Utilizing job queue entries for automatic operations

Business Central job queue entries with custom codeunits are used to perform various automatic operations during synchronization.

When you enable integration in the portal integration setup, you also have the option to automatically configure the job queue entries that handle data synchronization as well as set their status to **Ready**, Otherwise, the job queue entries need to be set up manually. When you disable integration, you have the option to also suspend the job queue entries that handle data synchronization.



You can set job queue entries to automatically perform the following:

- Import portal entity data
- Export portal entity data
- Send automatic notifications about issues with data import/export to the email(s) specified in the portal integration setup
- Re-import faulty portal entities that couldn't be imported during the first attempt
- Clear old portal integration log entries

Portal Integration Log

| ortal Integrat | tion Log Work D | ate: 1/22/2026 | | | | | | | | | | |
|----------------|-------------------|-----------------|-------------|----------|---------------------------|----------------------|-----------------------------|----------------------|---|---|-----|---|
| P 🖪 | View Proces | sing Errors 🛛 🖻 | Export File | 🔀 Delete | Entries Older Than 7 Days | 📋 Delete All Entries | 😣 Show Error Me | essage | Ŀ | 7 | ≣ (| 0 |
| Entry No.↓ | Direction | Entity Code 🔻 | Entity Name | | Start Date-Time | Finish Date-Time | No. of Processing Errors | Import Error Message | | | | |
| 2305 | Import | SO-HEADER | Sales Orde | r Header | 4/24/2024 4:41 AM | 4/24/2024 4:41 AM | - | - | | | | * |
| 2301 | Import | SO-HEADER | Sales Orde | r Header | 4/24/2024 4:36 AM | 4/24/2024 4:36 AM | - | - | | | | |
| 2297 | Import | SO-HEADER | Sales Orde | r Header | 4/24/2024 4:31 AM | 4/24/2024 4:31 AM | - | - | | | | |
| 2293 | Import | SO-HEADER | Sales Orde | r Header | 4/24/2024 4:26 AM | 4/24/2024 4:26 AM | - | - | | | | |
| 2289 | Import | SO-HEADER | Sales Orde | r Header | 4/24/2024 4:21 AM | 4/24/2024 4:21 AM | - | - | | | | |
| 2285 | Import | SO-HEADER | Sales Orde | r Header | 4/24/2024 4:16 AM | 4/24/2024 4:16 AM | - | - | | | | |
| 2281 | Import | SO-HEADER | Sales Orde | r Header | 4/24/2024 4:11 AM | 4/24/2024 4:11 AM | - | - | | | | |
| 2277 | Import | SO-HEADER | Sales Orde | r Header | 4/24/2024 4:06 AM | 4/24/2024 4:06 AM | - | - | | | | |
| 2273 | Import | SO-HEADER | Sales Orde | r Header | 4/24/2024 4:01 AM | 4/24/2024 4:01 AM | - | - | | | | |
| 2269 | Import | SO-HEADER | Sales Orde | r Header | 4/24/2024 3:56 AM | 4/24/2024 3:56 AM | - | - | | | | |
| 2265 | Import | SO-HEADER | Sales Orde | r Header | 4/24/2024 3:51 AM | 4/24/2024 3:51 AM | - | _ | | | | |
| 2263 | Import | SO-HEADER | Sales Orde | r Header | 4/24/2024 3:49 AM | 4/24/2024 3:49 AM | 1 | _ | | | | |
| 2259 | Import | SO-HEADER | Sales Orde | r Header | 4/24/2024 3:46 AM | 4/24/2024 3:46 AM | - | - | | | | |
| 2255 | Import | SO-HEADER | Sales Orde | r Header | 4/24/2024 3:41 AM | 4/24/2024 3:41 AM | - | - | | | | |
| 2251 | Import | SO-HEADER | Sales Orde | r Header | 4/24/2024 3:36 AM | 4/24/2024 3:36 AM | - | - | | | | |
| 2247 | Import | SO-HEADER | Sales Orde | r Header | 4/24/2024 3:31 AM | 4/24/2024 3:31 AM | _ | _ | | | | |

The portal integration log allows you to monitor what data was sent to or received from Xpand Portal during data synchronization. In case any synchronization errors occur, they will be logged in this window for the admin to easily identify the cause of the issue.

If there is more than one error for a single log entry, these errors can be viewed in the **Portal Log Error Details** window.



| 1034743 | Export | ITEM | Item 7/7/2021 11:16 | 5 AM | 7/7/2021 11:17 AM | | | - | Multiple Errors |
|------------------|--------------------|--------------------|---|------|-------------------|---|---|---|---|
| 1034742 | Export | ITEM | Item 7/7/2021 11:16 | 6 AM | 7/7/2021 11:16 AM | | | - | Multiple Errors |
| 1034741 | Export | ITEM | Item 7/7/2021 10:48 | AM | 7/7/2021 10:49 AM | | | - | Multiple Errors |
| 1034740 | Export | ITEM | Item 7/7/2021 10:37 | ' AM | 7/7/2021 10:37 AM | | | _ | Multiple Errors |
| 1034739 | Export | ITEM | Item 7/7/2021 10:35 | 5 AM | 7/7/2021 10:35 AM | | | - | Multiple Errors |
| - PORTAL INTEGRA | TION LOS I WORK D | ATE: 1/27/2022 | 🔎 Search / 💷 Open in Excel | | | | | 1 | 0 a . |
| ,O Search | View Processing En | rors 🔒 Export File | VIEW - PORTAL LOG ERROR DETAILS | | H 88 | 2 | × | l | ∀ = 0 |
| Entry No. 4 | Direction | Ereny Code 🖤 | Enor Post | | Created At | | | < | |
| 1034739 | Export | ITEM | Lock obtain timed out: NativeESLock@E: Xaand-portal-3.2.6.0 Kidata | | | | 2 | | Links + |
| 1034738 | Export | пем | Installations tam India: 2020/12/E-16457.334 withiolok: System/OJC/Dispetion: The process cannot access the file 'E Xand- access?.26.0 Biolata Rotalialockas tam India: 2020/12/E-16457.334 withiolok Research in a being used by another process. at System/OLF (Indianess Intelling and Eleforem and Strangel 2021) at System/OLF (Indianess Intelling and Eleforem and Strangel 2021) at System/OLF (Indianess Intelling and Eleforem and Strangel 2021) at System/OLF (Indianess Intelling and Eleforem access Indi2.1 | | | | | | (There is nothing to show in this seed) |
| 1034737 | Esport | пем | Lat XanachHelpersSarachHelpers.cAddTeindenkerson.cd. J. Mouvelent) | ł | 7/7/2021 10:35 AM | | v | | |
| | | | | | | | | | |

Moreover, from the portal integration log, for each log entry, you can download an XML file where you can see what data exactly was sent or received in that synchronization operation.

